

## Zec© and Semi-Flexible Grinding Discs for Concrete/Masonry

For use on: Side Grinders



**Product Discription:**

- Zec© Disc-16 grit silicon carbide, minimal loading, ideal for grinding concrete, masonry and stone along with adhesives from concrete
- No backup pad needed
- Semi-Flex Disc-16, 24, 36, 60, 80 & 120 grit silicon carbide-a lower cost alternative to plastic-backed Zec wheels
- Must be used with backup pads

Size	Bond Specification	Part Number	Catalog Number
4-1/2 In. x 7/8 In.	16-Grit	SCGD4500	58155
7 In. x 7/8 In.	16-Grit	SCGD7000	58154
4-1/2 In. x 7/8 In.	24-Grit	20016051	21273
4-1/2 In. x 7/8 In.	36-Grit	20016052	21274
4-1/2 In. x 7/8 In.	60-Grit	20016056	36562
4-1/2 In. x 7/8 In.	80-Grit	20016057	36563
4-1/2 In. x 7/8 In.	120-Grit	20016058	36564
7 In. x 7/8 In.	24-Grit	20016054	21275
7 In. x 7/8 In.	36-Grit	20016055	21276

<https://www.diamondproducts.com/products/abrasives/zec-and-semi-flexible-grinding-discs-for-concrete-masonry>

## PREMIUM ULTRA-THIN 2-in-1 Wheels for Steel & Stainless Steel-NEXT GENERATION -Type 1

For use on: Type 1, Right Angle Grinder



**Product Discription:**

- Two applications with one wheel; excellent performance in both stainless and carbon steel
- Significant increase in wheel life and cutting ability
- Short cutting time, extremely free cutting, rough side-surfaces
- Superior wear out behavior with stable cutting ability over entire diameter
- Less noise and vibration
- Perfect exploitation of raw material leaving 30% less cutting dust
- Forgiving flexibility

Size	Bond Specification	Part Number	Catalog Number
4-1/2 In. x .040 In. x 7/8 In.	A60Q-BFKA	773268	44900
5 In. x .040 In. x 7/8 In.	A60Q-BFKA	773269	44902

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-ultra-thin-2-in-1-wheels-for-steel-stainless-steel-next-generation-type-1>

## BASIC 2 in 1 Zirconia Flap Discs for Steel and Stainless Steel-Type 29

For use on: Type 29, 15° Right Angle Grinder



**Product Discription:**

- General purpose, economically priced flap disc
- Zirconium grain
- Suitable for grinding, deburring, trimming, bevelling, cleaning and surface conditioning
- Good for all metals
- Contaminant-free/ iron, sulfur and chlorine <0.1%

Size	Bond Specification	Part Number	Catalog Number
4 In. x 5/8 In.	ZA40-B	474872	35612
4 In. x 5/8 In.	ZA60-B	474874	47895
4 In. x 5/8 In.	ZA80-B	474875	47966
4-1/2 In. x 7/8 In.	ZA40-B	273884	48032
4-1/2 In. x 7/8 In.	ZA60-B	273810	48199
4-1/2 In. x 7/8 In.	ZA80-B	273871	48221
5 In. x 7/8 In.	ZA40-B	273872	48236
5 In. x 7/8 In.	ZA60-B	273873	48257
5 In. x 7/8 In.	ZA80-B	273874	48271

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-2-in-1-zirconia-flap-discs-for-steel-and-stainless-steel-type-29>

## BASIC Cold Pressed Walk Behind Wheels for Asphalt & Green Concrete-Type 1

For use on: Type 1, Low HP Walk Behind Saws



**Product Discription:**

- Silicon carbide grain
- Designed for cutting asphalt and green concrete on all low HP walk-behind saws <18HP
- All wheels have drive pin hole

Size	Bond Specification	Part Number	Catalog Number
14 In. x 3/16 In. x 1 In.	CP	30015064	69239

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-cold-pressed-walk-behind-wheels-for-asphalt-green-concrete-type-1>

## BASIC Cold & Hot Pressed Walk Behind Wheels for Concrete-Type 1

For use on: Type 1, Low HP Walk Behind Saws



**Product Discription:**

- Silicon carbide grain-designed for cutting concrete, masonry, brick on all low HP walk-behind machines
- Fast cutting and good life with triple reinforcement for added safety
- Hot pressed wheels combine fast cutting action with extremely long life
- The hot press process enhances wheel life and strength-use on <18HP
- Suitable for concrete, green concrete and asphalt

Size	Bond Specification	Part Number	Catalog Number
14 In. x 3/16 In. x 1 In.	CP	30015063	69238
14 In. x 1/4 In. x 1 In.	CP	ABCH14250	34912
18 In. x 1/4 In. x 1 In.	CP	ABCC18250	37741
14 In. x 3/16 In. x 1 In.	CHP	30015060	59631
14 In. x 1/4 In. x 1 In.	CHP	30015061	59632
18 In. x 1/4 In. x 1 In.	CHP	30015062	59633

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-cold-hot-pressed-walk-behind-wheels-for-concrete-type-1>

## BASIC Stationary Cut-Off Wheels for Masonry/Concrete-Type 1

For use on: Type 1, Stationary Cut-Off Saws



**Product Discription:**

- Silicon carbide grain
- General purpose cut-off wheels designed for higher horsepower stationary cut-off machines
- Designed to make straight cuts in masonry, concrete, stone and brick

Size	Bond Specification	Part Number	Catalog Number
12 In. x 1/8 In. x 1 In.	C30BF	20006706	59627
14 In. x 1/8 In. x 1 In.	C30BF	20008024	59628

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-stationary-cut-off-wheels-for-masonry-concrete-type-1>

## BASIC Stationary Cut-Off Wheels for Steel-Type 1

For use on: Type 1, Stationary Cut-Off Saws



**Product Discription:**

- Aluminum oxide grain
- General purpose cut-off wheels designed for higher horsepower stationary cut-off machines
- Designed to make straight cuts in structural steel, solids, pipe and tubing

Size	Bond Specification	Part Number	Catalog Number
10 In. x 1/8 In. x 5/8 In.	A30BF	20006697	58823
10 In. x 1/8 In. x 1 In.	A30BF	20006698	58649
14 In. x 1/8 In. x 1 In.	A30BF	20006700	58765
16 In. x 1/8 In. x 1 In.	A30BF	20006701	58817
16 In. x 5/32 In. x 1 In.	A30BF	20006702	59625
18 In. x 5/32 In. x 1 In.	A30BF	20006703	59626
20 In. x 5/32 In. x 1 In.	A30BF	20006704	58813

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-stationary-cut-off-wheels-for-steel-type-1>

## PREMIUM High Speed Gas & Portable Saw Wheels for Masonry & Concrete-Type 1

For use on: Type 1, High Speed Gas & Portable Saws



**Product Discription:**

- Premium silicon carbide grain
- When increased productivity is required in cutting concrete, masonry, stone and PVC pipe
- Superior cut rate and wheel life

Size	Bond Specification	Part Number	Catalog Number
12 In. x 1/8 In. x 1 In.	1C24/100	20010517	64200
12 In. x 1/8 In. x 20 mm	1C24/100	20010518	64202
14 In. x 1/8 In. x 20 mm	1C24/100	20010521	64204

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-high-speed-gas-portable-saw-wheels-for-masonry-concrete-type-1>

## PREMIUM High Speed Gas & Electric Saw Wheels for Ductile/Cast Iron & Asphalt-Type 1

For use on: Type 1, High Speed Gas & Portable Saws



**Product Discription:**

- Premium aluminum oxide/silicon carbide grain
- When increased productivity is required in cutting ductile pipe, cast iron and asphalt
- Superior cut rate and wheel life

Size	Bond Specification	Part Number	Catalog Number
12 In. x 1/8 In. x 1 In.	AC24/100	20010513	64196
14 In. x 1/8 In. x 1 In.	AC24/100	20010515	64198
14 In. x 1/8 In. x 20 mm	AC24/100	20010516	64199

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-high-speed-gas-electric-saw-wheels-for-ductile-cast-iron-asphalt-type-1>

## Tyrolit PREMIUM High Speed Gas & Electric Saw Wheels for Steel-Type 1

For use on: Type 1, High Speed Gas & Portable Saws



### Product Discription:

- Premium aluminum oxide grain
- When increased productivity is required in cutting all ferrous metals, structural steels, rebar and metal decking.
- Good for rail cutting applications
- Superior cut rate and wheel life

Size	Bond Specification	Part Number	Catalog Number
12 In. x 1/8 In. x 1 In.	A30P/100	20010511	64192
12 In. x 1/8 In. x 20 mm	A30P/100	20010520	64193
14 In. x 1/8 In. x 1 In.	A30P/100	20010509	64194
14 In. x 1/8 In. x 20 mm	A30P/100	20010510	64195

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-high-speed-gas-electric-saw-wheels-for-steel-type-1>

## BASIC Heavy Duty High Speed Gas & Portable Saw Wheels for Masonry & Concrete-Type 1

For use on: Type 1, High Speed Gas & Portable Saws



### Product Discription:

- Silicon carbide grain
- Designed for cutting concrete, masonry, stone, brick and PVC pipe
- Exceptional cut rate and very long life
- Triple-reinforced for stability and safety

Size	Bond Specification	Part Number	Catalog Number
12 In. x 1/8 In. x UNV	C30BF/100	34169159	65485
14 In. x 1/8 In. x UNV	C30BF/100	34169160	51573
16 In. x 1/8 In. x UNV	C30BF/100	34169182	65493

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-heavy-duty-high-speed-gas-portable-saw-wheels-for-masonry-concrete-type-1>

## PREMIUM Zirconia Flap Discs for Steel and Stainless Steel-Type 27

For use on: Type 27, 30° Right Angle Grinder



### Product Discription:

- Premium zirconium grain
- Suitable for grinding work, deburring, trimming, beveling, cleaning and surface conditioning
- Extremely long life compared to aluminum oxide discs
- Aggressive and fast cutting <0.1%
- Suitable for grinding steel, stainless steel and cast materials
- Contaminate-free of iron, sulfur and chlorine, <0.1%

Size	Bond Specification	Part Number	Catalog Number
4-1/2 In. x 7/8 In.	ZA40-B	668686	60248
4-1/2 In. x 7/8 In.	ZA60-B	668687	60533
4-1/2 In. x 7/8 In.	ZA80-B	668691	60534

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-zirconia-flap-discs-for-steel-and-stainless-steel-type-27>

## PREMIUM Zirconia Flap Discs for Steel and Stainless Steel-Type 29

For use on: Type 29, 15° Right Angle Grinder



### Product Discription:

- Premium zirconium grain
- Suitable for grinding work, deburring, trimming, beveling, cleaning and surface conditioning
- Extremely long life cor
- Aggressive and fast cutting
- Suitable for grinding steel, stainless steel and cast materials
- Contaminate-free of iron, sulfur and chlorine, <0.1%

Size	Bond Specification	Part Number	Catalog Number
4-1/2 In. x 7/8 In.	ZA40-B	668642	59653
4-1/2 In. x 7/8 In.	ZA60-B	668644	58956
4-1/2 In. x 7/8 In.	ZA80-B	668649	59270
4-1/2 In. x 7/8 In.	ZA120-B	643803	32442
4-1/2 In. x 5/8 In.-11	ZA40-B	30014923	65058
4-1/2 In. x 5/8 In.-11	ZA60-B	30014924	65059
4-1/2 In. x 5/8 In.-11	ZA80-B	30014925	65060
4-1/2 In. x 5/8 In.-11	ZA120-B	30014926	65061
5 In. x 7/8 In.	ZA40-B	668663	66137
6 In. x 7/8 In.	ZA60-B	668664	63387
7 In. x 7/8 In.	ZA80-B	668665	59271
6 In. x 7/8 In.	ZA40-B	519212	48283
7 In. x 7/8 In.	ZA40-B	668670	60420
7 In. x 7/8 In.	ZA60-B	668672	59486
7 In. x 5/8 In.-11	ZA80-B	668673	59272
7 In. x 5/8 In.-11	ZA40-B	30014927	65062
7 In. x 5/8 In.-11	ZA60-B	30014928	65063

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-zirconia-flap-discs-for-steel-and-stainless-steel-type-29>

## Rubbing Blocks & Grinding Stones for Concrete/Masonry

For use on: Hand Tool



**Product Discription:**

- Rubbing Blocks-long life and good performance for removing mold and form marks, cleaning castings and smoothing concrete surfaces-comes with or without handle
- Grinding Stones-for removal and/or grinding concrete imperfections, uneven joints or smoothing exposed aggregate

Available in : Coarse (fast removal), Medium (finish grinding) or Fine (smoothing surfaces)

Size	Bond Specification	Part Number	Catalog Number
6 In. x 3 In. x 1 In.	ABRBH-HR252	ABRBH-HR252	35064
8 In. x 3-1/2 In. x 1-1/2 In.	ABRBH-HR250	ABRBH-HR250	35065
8 In. x 2 In. x 2 In.	ABRBF-HR242	ABRBF-HR242	35062
2 In. x 2 In. x 4 In.	ABCH-10	ABCH-10	35067
2 In. x 2 In. x 4 In.	ABCH-24	ABCH-24	35063
2 In. x 2 In. x 4 In.	ABCH-80	ABCH-80	35066

<https://www.diamondproducts.com/products/abrasives/rubbing-blocks-grinding-stones-for-concrete-masonry>

## Flaring Cup Wheels for Steel & Masonry

For use on: Right Angle Grinders



**Product Discription:**

- Aluminum oxide grain
- For use on right angle grinders
- Coarse 16 or 24 grit w
- Heavy stock removal on all ferrous metals

Size	Bond Specification	Part Number	Catalog Number
4 In. x 2 In. x 5/8"-11	A24PB (24 grit)	2010525	65500
5 In. x 2 In. x 5/8"-11	A24PB (24 grit)	20006831	59295
6 In. x 2 In. x 5/8"-11	A16PB (16 grit)	20006824	59010
6 In. x 2 In. x 5/8"-11	A24PB (24 grit)	20006829	59296
4 In. x 2 In. x 5/8"-11	C16PB (16 grit)	2010526	65501
5 In. x 2 In. x 5/8"-11	C16PB (16 grit)	2010524	65499
6 In. x 2 In. x 5/8"-11	C16PB (16 grit)	20006823	59147

<https://www.diamondproducts.com/products/abrasives/flaring-cup-wheels-for-steel-masonry>

## PREMIUM Resin Fiber Discs Zirconia for Metal & Cast Materials

For use on: Right Angle Grinder



**Product Discription:**

- Heavy duty zirconia grain disc for tough sanding and finishing applications
- Suitable for ferrous and/or non-ferrous metals

Size	Bond Specification	Part Number	Catalog Number
4-1/2 In. x 7/8 In.	ZA24	30010310	66358
4-1/2 In. x 7/8 In.	ZA36	30010311	60271
4-1/2 In. x 7/8 In.	ZA60	30010313	60223
5 In. x 7/8 In.	ZA36	30010318	65034
5 In. x 7/8 In.	ZA50	30010319	60827
5 In. x 7/8 In.	ZA60	30010320	65033

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-resin-fiber-discszirconia-for-metal-cast-materials>

## PREMIUM Resin Fiber Discs Aluminum Oxide for Steel

For use on: Right Angle Grinder



**Product Discription:**

- General purpose aluminum oxide disc for light to medium sanding and finishing applications
- Suitable for ferrous and/or non-ferrous metals

Size	Bond Specification	Part Number	Catalog Number
4-1/2 In. x 7/8 In.	A24	30010278	60773
4-1/2 In. x 7/8 In.	A36	30010279	58874
4-1/2 In. x 7/8 In.	A50	30010281	60774
4-1/2 In. x 7/8 In.	A120	30010286	60776
5 In. x 7/8 In.	A24	30010290	62325
5 In. x 7/8 In.	A36	30010291	61098
5 In. x 7/8 In.	A60	30010293	64606
5 In. x 7/8 In.	A80	30010294	62326
7 In. x 7/8 In.	A16	30010298	62834
7 In. x 7/8 In.	A36	30010301	59361

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-resin-fiber-discsaluminum-oxide-for-steel>



---

## PREMIUM High Density JUMBO Zirconia Flap Discs for Steel and Stainless Steel-Type 29

For use on: Type 29, 15° Right Angle Grinder



### Product Discription:

- Premium zirconium grain
- Suitable for grinding work, deburring, trimming, beveling, cleaning and surface conditioning
- Ultra long life compared to aluminum oxide discs
- Aggressive and fast cutting
- Suitable for grinding steel, stainless steel and cast materials
- Contaminate-free of iron, sulfur and chlorine, <0.1%

Size	Bond Specification	Part Number	Catalog Number
4-1/2 In. x 7/8 In.	ZA40-B	668648	32408
4-1/2 In. x 5/8 In.-11	ZA40	30014985	55898

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-high-density-jumbo-zirconia-flap-discs-for-steel-and-stainless-steel-type-29>

---

## BASIC Heavy Duty High Speed Gas & Portable Saw Wheels for Ductile/Cast Iron & Asphalt-Type 1

For use on: Type 1, High Speed Gas & Portable Saws



### Product Discription:

- Aluminum oxide/silicon carbide blend
- Designed for ductile pipe, asphalt and cast iron
- Exceptional cut rate and life
- Triple-reinforced for stability and safety

Size	Bond Specification	Part Number	Catalog Number
12 In. x 1/8 In. x UNV	AC30BF/100	34169183	65482
14 In. x 1/8 In. x UNV	AC30BF/100	34169184	51568
16 In. x 1/8 In. x UNV	AC30BF/100	34169185	65483

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-heavy-duty-high-speed-gas-portable-saw-wheels-for-ductile-cast-iron-asphalt-type-1>

---

## BASIC Heavy Duty High Speed Gas & Portable Saw Wheels for Steel-Type 1

For use on: Type 1, High Speed Gas & Portable Saws



### Product Discription:

- Aluminum oxide grain
- Designed for all ferrous metals
- A free cutting wheel with exceptional cut rate and very good life
- Triple-reinforced for stability and safety

Size	Bond Specification	Part Number	Catalog Number
12 In. x 1/8 In. x UNV	A30BF/100	34169155	53056
14 In. x 1/8 In. x UNV	A30BF/100	34169156	51567
16 In. x 1/8 In. x UNV	A30BF/100	34169157	65475

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-heavy-duty-high-speed-gas-portable-saw-wheels-for-steel-type-1>

---

## BASIC Chop Saw Wheels for Steel-Type 1

For use on: Type 1, Chop Saw Low HP Machines



### Product Discription:

- Single Reinforced-General Purpose-fast, burr-free cuts in metal and cutting steel studs, rebar and lighter gauge metals
- Double Reinforced-Premium-Suited for cutting steel studs
- Also good for rebar and lighter gauge metals. Fast cutting and very good wheel life

Size	Bond Specification	Part Number	Catalog Number
12 In. x 7/64 In. x 1 In.	A36BF	20006707	59622

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-chop-saw-wheels-for-steel-type-1>

---

## BASIC Raised Hub Dish Wheels for Concrete/Masonry-Type 28

For use on: Type 28, Right Angle Grinder



### Product Discription:

- Zirconia alumina grain
- High performance grinding wheel for the most demanding applications
- Highest stock removal rates and ultimate wheel life
- Designed for ferrous metals, stainless steel and cast materials
- Type 28 saucer shape provides greater surface area coverage and provides the operator with better grinding visibility

Size	Bond Specification	Part Number	Catalog Number
7 In. x 1/4 In. x 7/8 In.	C30BF	20016031	76151
7 In. x 1/4 In. x 5/8 In.-11	C30BF	20016032	76153
9 In. x 1/4 In. x 7/8 In.	C30BF	20016033	76154
9 In. x 1/4 In. x 5/8 In.-11	C30BF	20016034	76155

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-raised-hub-dish-wheels-for-concrete-masonry-type-28>

---

## BASIC Grinding Wheels for Steel-Type 28

For use on: Type 28, Right Angle Grinder



**Product Discription:**

- Zirconia alumina grain
- High performance grinding wheel for the most demanding applications
- Highest stock removal rates and ultimate wheel life
- Designed for ferrous metals, stainless steel and cast materials
- Type 28 saucer shape provides greater surface area coverage and provides the operator with better grinding visibility

Size	Bond Specification	Part Number	Catalog Number
7 In. x 1/4 In. x 7/8 In.	A30BF	20006676	59420
7 In. x 1/4 In. x 5/8 In.-11	A30BF	20006677	58892
9 In. x 1/4 In. x 7/8 In.	A30BF	20006678	59240
9 In. x 1/4 In. x 5/8 In.-11	A30BF	20006679	59635

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-grinding-wheels-for-steel-type-28>

## BASIC Wheels for Steel-Type 27

For use on: Type 27, 30° Right Angle Grinder



**Product Discription:**

- Aluminum oxide grain
- General purpose wheel for ferrous metals; surface or edge grinding
- Very good stock removal rates and wheel life

Size	Bond Specification	Part Number	Catalog Number
3 In. x 1/4 In. x 3/8 In.	A30BF	20008290	58938
4 In. x 1/4 In. x 3/8 In.	A30BF	20006651	58781
4 In. x 1/4 In. x 5/8 In.	A30BF	20006652	58821
4-1/2 In. x 1/4 In. x 7/8 In.	A30BF	20006653	58717
4-1/2 In. x 1/4 In. x 5/8 In.-11	A30BF	20006655	58819
5 In. x 1/4 In. x 7/8 In.	A30BF	20006657	58694
5 In. x 1/4 In. x 5/8 In.-11	A30BF	20010581	68573
6 In. x 1/4 In. x 7/8 In.	A30BF	20016035	76862
6 In. x 1/4 In. x 5/8 In.-11	A30BF	20016036	76863
7 In. x 1/4 In. x 7/8 In.	A30BF	20006659	58774
7 In. x 1/4 In. x 5/8 In.-11	A30BF	20006661	58652
9 In. x 1/4 In. x 7/8 In.	A30BF	20006663	58775
9 In. x 1/4 In. x 5/8 In.-11	A30BF	20006665	58771

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-wheels-for-steel-type-27>

## BASIC Wheels for Concrete/Masonry-Type 27

For use on: Type 27, 30° Right Angle Grinder



**Product Discription:**

- Silicon carbide grain
- General purpose wheel for rough grinding of concrete, masonry and stone
- Very good stock removal rates and wheel life

Size	Part Number	Catalog Number
4 In. x 1/4 In. x 5/8 In.	20007745	58772
4-1/2 In. x 1/4 In. x 7/8 In.	20006654	59604
4-1/2 In. x 1/4 In. x 5/8 In.-11	20006656	59605
5 In. x 1/4 In. x 7/8 In.	20006658	63955
5 In. x 1/4 In. x 5/8 In.-11	20010584	83269
7 In. x 1/4 In. x 7/8 In.	20006660	59606
7 In. x 1/4 In. x 5/8 In.-11	20006662	60211
9 In. x 1/4 In. x 7/8 In.	20006664	61337
9 In. x 1/4 In. x 5/8 In.-11	20006666	60772

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-wheels-for-concrete-masonry-type-27>

## PREMIUM Pipeliner Plus Wheels for Steel and Cast Materials-Type 27

For use on: Type 27, 30° Right Angle Grinder



**Product Discription:**

- High quality zirconia alumina grain
- High performance, aggressive, fast cutting, light grinding and notching
- Designed specifically for the pipeline industry
- For the most demaning applications
- Designed for both steel and stainless

Size	Bond Specification	Part Number	Catalog Number
4-1/2 In. x 1/8 In. x 7/8 In.	ZA24-BF	352336	27007
4-1/2 In. x 1/8 In. x 5/8 In. -11	ZA24-BF	352334	27012
5 In. x 1/8 In. x 7/8 In.	ZA24-BF	356632	27015
5 In. x 1/8 In. x 5/8 In. -11	ZA24-BF	356633	27022
7 In. x 1/8 In. x 7/8 In.	ZA24-BF	352339	27023
7 In. x 1/8 In. x 5/8 In. -11	ZA24-BF	352338	27024
9 In. x 1/8 In. x 7/8 In.	ZA24-BF	352341	27025
9 In. x 1/8 In. x 5/8 In. -11	ZA24-BF	352340	27033

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-pipeliner-plus-wheels-for-steel-and-cast-materials-type-27>

## PREMIUM 2 in 1 Wheels for Steel and Stainless Steel-Pipeline Application-Type 27

For use on: Type 27, 30° Right Angle Grinder



**Product Discription:**

Aluminum oxide grain

High performance aggressive and fast cutting/light grinding/notching wheels

Designed for both steel and stainless steel

Contaminate-free/iron, sulfure and chlorine <0.1%

Size	Bond Specification	Part Number	Catalog Number
4-1/2 In. x 1/8 In. x 5/8 In.	A30Q-BFX	5287	59084
4-1/2 In. x 1/8 In. x 5/8 In. -11	A30Q-BFX	898115	67133
5 In. x 1/8 In. x 7/8 In.	A30Q-BFX	5308	74486
7 In. x 1/8 In. x 7/8 In.	A30Q-BFX	5349	59852
7 In. x 1/8 In. x 5/8 In. -11	A30Q-BFX	898116	65108
9 In. x 1/8 In. x 7/8 In.	A30Q-BFX	5406	62349
9 In. x 1/8 In. x 5/8 In. -11	A30Q-BFX	898118	65412

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-2-in-1-wheels-for-steel-and-stainless-steel-pipeline-application-type-27>

## BASIC Wheels for General Purpose Use-Concrete/Masonry-Type 27

For use on: Type 27, 30° Right Angle Grinder, 90° Right Angle Grinder



**Product Discription:**

- Silicon carbide grain
- General purpose cutting/light grinding wheels for concrete, masonry and stone
- Good cutting rate and wheel life
- High side stability for difficult applications

Size	Part Number	Catalog Number
4-1/2 In. x 1/8 In. x 7/8 In.	20010585	69224
4-1/2 In. x 1/8 In. x 5/8 In. - 11	20010586	69226

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-wheels-for-general-purpose-use-concrete-masonry-type-27>

## BASIC Wheels for General Purpose Use-Steel-Type 27

For use on: Type 27, 30° Right Angle Grinder, 90° Right Angle Grinder



**Product Discription:**

Aluminum oxide grain

General purpose cutting/light grinding wheels for steel

Good cut rate and wheel life

For all cross sections

Size	Part Number	Catalog Number
4 In. x 1/8 In. x 3/8 In	20006667	59887
5 In. x 1/8 In. x 5/8 In.	20006668	58773
4-1/2 In. x 1/8 In. x 7/8 In.	20006669	58770
4-1/2 In. x 1/8 In. x 5/8 In. - 11	20006670	58695
5 In. x 1/8 In. x 7/8 In.	20006671	59562
5 In. x 1/8 In. x 5/8 In. - 11	20010579	72258
7 In. x 1/8 In. x 7/8 In	20006672	59363
7 In. x 1/8 In. x 5/8 In. - 11	20006673	58822
9 In. x 1/8 In. x 7/8 In.	20006674	58994
9 In. x 1/8 In. x 5/8 In. - 11	20006675	59239

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-wheels-for-general-purpose-use-steel-type-27>

## PREMIUM Grinding Wheels for Aluminum & Non-Ferrous Materials-Type 27

For use on: Type 27



**Product Discription:**

- Aluminum Oxide grain
- High performance, rough grinding wheels for non-ferrous metals
- No loading
- For surface and edge grinding
- Contaminant-free/iron, sulfur and chlorine <0.1%

Size	Part Number	Catalog Number
4-1/2 In. x 1/4 In. x 7/8 In	5295	61021
4-1/2 In. x 1/4 In. x 5/8 In.-11	913325	68797
7 In. x 1/4 In. x 5/8 In.-11	913331	68538

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-grinding-wheels-for-aluminum-non-ferrous-materials-type-27>

## BASIC Wheels for INOX, Steel & Stainless Steel-Type 1

For use on: Type 1, 90° Right Angle Grinder



**Product Discription:**

Aluminum oxide grain

General purpose wheel for cutting INOX, steel and stainless steel

For cutting thin-wall metal sheets, profiles and tubes

Good cutting rates and wheel life

Excellent price/performance ratio

Contaminate-free of iron, sulfur and chlorine, <0.1%

Size	Bond Specification	Part Number	Catalog Number
4 In. x .040 In. x 5/8 In.	A60-BF	222893	18567
4-1/2 In. x .040 In. x 7/8 In.	WA60-BF	486473	18568
4-1/2 In. x .060 In. x 7/8 In.	WA60-BF	222899	10001
5 In. x .040 In. x 7/8 In.	WA60-BF	486475	18569
6 In. x .045 In. x 7/8 In.	WA60-BF	591956	17963

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-wheels-for-inox-steel-stainless-steel-type-1>



## BASIC Portable Electric Saw Wheels for Steel-Type 1

For use on: Type 1, Electric Circular Saw



**Product Discription:**

- Aluminum oxide grain
- Designed for cutting all ferrous metals (or masonry, concrete option) with portable circular saws
- General purpose wheel with good cut rates and life
- Integrated diamond knockout adapter

Size	Bond Specification	Part Number	Catalog Number
7 In. x 1/8 In. x 5/8 In.	A30BF	20006710	58517
8 In. x 1/8 In. x 5/8 In.	A30BF	20006711	58519
7 In. x 1/8 In. x 5/8 In.	C30BF	20006713	58518

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-portable-electric-saw-wheels-for-steel-type-1>

## BASIC Small Diameter Cut-Off Wheels - Side Reinforced for Steel and Cast Materials-Type 1

For use on: Type 1, Straight Grinder



**Product Discription:**

- Aluminum oxide grain
- General purpose cutting wheel for all metals
- Side reinforced for increased life
- For cutting thinwall material and deburring
- A36 for fast cutting on rough applications
- A60 for smooth, burr-free cuts

Size	Bond Specification	Part Number	Catalog Number
3 In. x 1/16 In. x 1/4 In.	A36	20006720	59002
3 In. x 1/16 In. x 3/8 In.	A36	20008026	59614
3 In. x 3/32 In. x 1/4 In.	A36	20010566	73705
3 In. x 3/32 In. x 3/8 In.	A36	20006736	59615
3 In. x 1/8 In. x 3/8 In.	A36	20006722	59477
4 In. x 1/16 In. x 1/4 In.	A36	20006727	59617
4 In. x 1/16 In. x 3/8 In.	A36	20006729	59618
4 In. x 1/16 In. x 5/8 In.	A36	20006731	59619
4 In. x 1/8 In. x 3/8 In.	A36	20006733	59621

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-small-diameter-cut-off-wheels-side-reinforced-for-steel-and-cast-materials-type-1>

## PREMIUM INOX Wheels for Stainless Steel & Acid-Resistant Steel-Type 27

For use on: Type 27, Right Angle Grinder



**Product Discription:**

- Aluminum oxide grain
- Ultimate performance wheel for cutting steel and stainless steel
- For cutting thin-wall metal sheets, profiles and tubes
- Contaminate-free of iron, sulfur and chlorine, <0.1%
- Depressed center configuration

Size	Bond Specification	Part Number	Catalog Number
4-1/2 In. x .045 In. x 7/8 In.	TA60P-BFXA	34042238	98412
5 In. x .045 In. x 7/8 In.	TA60P-BFXA	34042239	26384

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-inox-wheels-for-stainless-steel-acid-resistant-steel-type-27>

## PREMIUM 2 in 1 Wheels for Steel & Stainless Steel-Type 27

For use on: Type 27, Right Angle Grinder



**Product Discription:**

- Aluminum oxide grain
- Ultimate performance characteristics in cutting material made of rust and acid resistant steels
- Contaminate-free of iron, sulfur and chlorine, <0.1%
- Depressed center configuration

Size	Bond Specification	Part Number	Catalog Number
4-1/2 In. x .040 In. x 7/8 In.	A60Q-BFXA	87215	59503
4-1/2 In. x .060 In. x 7/8 In.	A60Q-BFXA	238987	90834
5 In. x .040 In. x 7/8 In.	A60Q-BFXA	87216	60214
5 In. x .060 In. x 7/8 In.	A60Q-BFXA	238988	41351
6 In. x .045 In. x 7/8 In.	A60Q-BFXA	34162796	38256

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-2-in-1-wheels-for-steel-stainless-steel-type-27>

## PREMIUM Super Thin Cutting Wheels for Aluminum & Stone-Type 1

For use on: Type 1, 90° Right Angle Grinder



**Product Discription:**

- Silicon carbide grain
- High performance cut-off wheels especially for aluminum, concrete and stone
- Fast cutting times on aluminum, bronze, aluminum alloys, copper, brass, nickel, and titanium.
- Also suitable for cutting masonry materials
- Consistent free cutting wheel utilizing a non-loading bond.

Size	Bond Specification	Part Number	Catalog Number
4-1/2 In. x .040 In. x 7/8 In.	C46S-BFXA	337383	14271

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-super-thin-cutting-wheels-for-aluminum-stone-type-1>



## PREMIUM ULTRA-THIN Disc for INOX, Steel & Stainless Steel-NEXT GENERATION-Type 1

For use on: Type 1, Right Angle Grinder



### Product Discription:

- Tyrolit's best performing wheel for stainless steel as well as carbon steel
- Significant increase in wheel life and cutting ability
- Short cutting time, extremely free cutting, rough side-surfaces
- Improved first-cut behavior offering free cutting from the start
- Superior wear out behavior with stable cutting ability over entire diameter
- Less noise and vibration
- Perfect exploitation of raw material leaving 30% less cutting dust.
- Forgiveing flexibility

Size	Bond Specification	Part Number	Catalog Number
4-1/2 In. x .040 In. x 7/8 In.	A60R-BFKA	674471	44897
5 In. x .040 In. x 7/8 In.	A60R-BFKA	674473	44898

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-ultra-thin-disc-for-inox-steel-stainless-steel-next-generation-type-1>

## PREMIUM INOX Super-Thin-Cut-Off Wheels for Stainless Steel-Type 1

For use on: Type 1, 90° Right Angle Grinder



### Product Discription:

- Aluminum oxide grain
- Ultimate performance characteristics in cutting material made of rust and acid resistant steels
- Contaminate-free/iron, sulfure and chlorine <0.1%

Size	Bond Specification	Part Number	Catalog Number
4-1/2 In. x .040 In. x 7/8 In.	A60R-BFXA	41502	78391
4-1/2 In. x .060 In. x 7/8 In.	A46R-BFXA	35952	82761
5 In. x .040 In. x 7/8 In.	A60R-BFXA	41503	78884
5 In. x .060 In. x 7/8 In.	A46R-BFXA	35954	89220
6 In. x .045 In. x 7/8 In.	A46R-BRXA	318945	97708
7 In. x .060 In. x 7/8 In.	A46R-BFXA	291588	21143

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-inox-super-thin-cut-off-wheels-for-stainless-steel-type-1>

## BASIC Wheels for INOX, Steel & Stainless Steel-Type 27

For use on: Type 27, Right Angle Grinder



### Product Discription:

- Aluminum oxide grain
- General purpose wheel for cutting INOX, steel and stainless steel
- Good cutting rates and wheel life
- Excellent price/performance ratio
- Contaminate-free of iron, sulfur and chlorine, <0.1%

Size	Bond Specification	Part Number	Catalog Number
4-1/2 In. x .040 In. x 7/8 In.	WA60BF	727456	37259

<https://www.diamondproducts.com/products/abrasives/tyrolit-basic-wheels-for-inox-steel-stainless-steel-type-27>

## PREMIUM 2 in1 Wheels for Steel & Stainless Steel-Type 1

For use on: Type 1, 90° Right Angle Grinder



### Product Discription:

- Aluminum oxide grain
- Aggressive, fast cutting wheels for steel and stainless steel
- Very good wheel life
- Contaminate-free of iron, sulfur, chlorine, <0.1%

Size	Bond Specification	Part Number	Catalog Number
4 In. x .060 In. x 5/8 In.	A46-BF	368016	15105
4-1/2 In. x .040 In. x 7/8 In.	A60Q-BFXA	77965	65335
4-1/2 In. x .060 In. x 7/8 In.	A46Q-BFXA	77963	65336
5 In. x .040 In. x 7/8 In.	A60Q-BFXA	77966	65337
5 In. x .060 In. x 7/8 In.	A46Q-BFXA	77964	65338
6 In. x .045 In. x 7/8 In.	A60Q-BFXA	63812	58952
6 In. x .060 In. x 7/8 In.	A46Q-BFXA	920351	59368
7 In. x .060 In. x 7/8 In.	A46Q-BFXA	920352	62831
9 In. x .075 In. x 7/8 In.	A46Q-BFXA	920353	62832

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-2-in1-wheels-for-steel-stainless-steel-type-1>

## PREMIUM 2 in 1 Wheels for Steel and Stainless Steel-Type 27

For use on: Type 27, 30° Right Angle Grinder, 90° Right Angle Grinder



### Product Discription:

- For use on right angle grinders
- 5/8"-11 threaded arbor
- Designed for heavy cutting, deburring, weld prep and rust removal
- Fast, aggressive cutting action
- Crimped wire for greater flexibility and light cleaning and material removal, especially for irregular surfaces. Available in carbon or stainless steel wire

Size	Bond Specification	Part Number	Catalog Number
4-1/2 In. x 3/32 In. x 7/8 In.	A30Q-BFXA	872346	79647
5 In. x 3/32 In. x 7/8 In.	A30Q-BFXA	872347	16554

<https://www.diamondproducts.com/products/abrasives/tyrolit-premium-wheels-for-aluminum-and-non-ferrous-materials-type-27>